

In the Claims

1-11 (canceled).

12 (previously presented). A method for the reduction and/or treatment of gamete chromosomal alterations in a male comprising the administration of a pharmaceutically active amount of FSH or FSH variant to the male in need thereof.

13 (currently amended). The method according to claim 12, wherein the gamete chromosomal alterations are ~~gamete numerical chromosomal alterations~~numerical alterations.

14 (currently amended). The method according to ~~claim 12~~claim 13, wherein the gamete numerical chromosomal alterations ~~alteration~~is spermatozoa diploidy.

15 (currently amended). The method according to ~~claim 12~~claim 13, wherein the gamete numerical chromosomal alterations ~~alterations~~alteration is sexual chromosome disomy.

16 (previously presented). The method according to claim 12, wherein the male is human.

17 (previously presented). The method according to claim 12, wherein the substance is FSH.

18 (previously presented). The method according to claim 12, wherein the substance is rFSH.

19 (previously presented). The method according to claim 12, wherein the substance is administered on alternate days.

20 (previously presented). The method according to claim 12, wherein the substance is administered at or about 75 to 300 IU/dose.

21 (previously presented). The method according to claim 12, wherein the substance is administered at or about 150 IU/dose.

22 (previously presented). The method according to claim 12, wherein the substance is rFSH and the human male is suffering from gamete aneuploidy.

23 (previously presented). The method according to claim 22, wherein the substance is administered on alternate days.

24 (previously presented). The method according to claim 23, wherein the substance is administered at or about 75 to 300 IU/dose.

25 (previously presented). The method according to claim 24, wherein the substance is administered at or about 150 IU/dose.

26 (previously presented). The method according to claim 19, wherein the substance is administered at or about 75 to 300 IU/dose.

27 (previously presented). The method according to claim 26, wherein the substance is administered at or about 150 IU/dose.

28 (new). The method according to claim 12, wherein said variant FSH is CTP-FSH, single chain CTP-FSH or a FSH glycosylation variant.

29 (new). The method according to claim 12, wherein said male is a human and said gamete chromosomal alteration is spermatozoa diploidy.